

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	("3760785" "3841282" "3895615" "3960130" "4043310" "4177784" "4213437").PN. OR ("6499455").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/02 12:16
L2	2259685	(vehicle automobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:18
L3	82070	L2 and ignition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:18
L4	22589	L3 and (throttle camshaft crankshaft (remote adj (start or starter)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:18
L5	247	L4 and (throttle same (control or controller or controlled) same (shutdown or (shut adj down) or powerdown or (power adj down)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:18
L6	47	L5 and (fuel or gas) same (disable or prohibit or disabled or restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:18
L7	33	L6 and (throttle near4 position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:17
L8	15	L7 and (ignition same (switch or switched) same off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:18

L9	0	L8 and (air adj flow) same (restrict restrictive limit limited prohibit prohibited) same open same position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:22
L10	1	L8 and (air near3 flow) same (restrict restrictive limit limited prohibit prohibited) same open same position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:19
L11	4	L7 and (air near3 flow) same (restrict restrictive limit limited prohibit prohibited) same open same position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:20
L12	4	L6 and (air near3 flow) same (restrict restrictive limit limited prohibit prohibited) same open same position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:20
L13	10	L5 and (air near3 flow) same (restrict restrictive limit limited prohibit prohibited) same open same position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:20
L14	6	13 not 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:20
L15	10	("4090481" "4574752" "5521825" "5563453" "5720258" "5730098" "5749343" "6167343" "6257194" "6283079").PN. OR ("6886519").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/02 13:47
L17	2384	throttle same position near4 degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:48
L18	5	I5 and throttle same position near4 degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:48

L19	0	I5 and throttle same position near6 "1.5" near2 degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:49
L20	0	throttle same position near6 "1.5" near2 degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:49
L21	6	throttle same position same "1.5" near2 degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 13:49
L22	1	L7 and (irregularities irregular fault faulty incorrect) near5 state same shutdown	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:19
L23	1	L6 and (irregularities irregular fault faulty incorrect) near5 state same shutdown	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:19
L24	1	L5 and (irregularities irregular fault faulty incorrect) near5 state same shutdown	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:19
L25	3	L4 and (irregularities irregular fault faulty incorrect) near5 state same shutdown	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:32
L27	5	L4 and ((operation operational) same status same signal same shutdown)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:33

L28	2	L8 and air same (restrict restrictive limit limited prohibit prohibited) same engine near3 speed same throttle near2 position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:23
L29	6	L7 and air same (restrict restrictive limit limited prohibit prohibited) same engine near3 speed same throttle near2 position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:23
L30	6	L6 and air same (restrict restrictive limit limited prohibit prohibited) same engine near3 speed same throttle near2 position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:23
L31	16	L5 and air same (restrict restrictive limit limited prohibit prohibited) same engine near3 speed same throttle near2 position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:25
L32	13	L8 and (engine near3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:29
L34	7	L8 and (engine near3 speed) same idle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:52
L35	7	34 and (disable or disabled or disabling) same (control controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:54
L36	7	34 and ((disable or disabled or disabling) same (control controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:54

L37	4	34 and ((disable or disabled or disabling) near4 (control controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:54
S1	2259685	(vehicle automobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:35
S2	82070	S1 and ignition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:36
S3	22589	S2 and (throttle camshaft crankshaft (remote adj (start or starter)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:37
S4	247	S3 and (throttle same (control or controller or controlled) same (shutdown or (shut adj down) or powerdown or (power adj down)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:41
S5	47	S4 and (fuel or gas) same (disable or prohibit or disabled or restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:43
S6	33	S5 and (throttle near4 position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:41
S7	15	S6 and (ignition same (switch or switched) same off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 12:17

S8	1	S7 and ((drive adj by adj wire) or drive-by-wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:57
S9	1	S6 and ((drive adj by adj wire) or drive-by-wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:57
S10	1	S5 and ((drive adj by adj wire) or drive-by-wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:57
S11	2	S4 and ((drive adj by adj wire) or drive-by-wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:57
S12	123	S3 and ((drive adj by adj wire) or drive-by-wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:57
S13	28	((("3063044") or ("3455403") or ("3859540") or ("4080537") or ("4200080") or ("4227588") or ("4392059") or ("4446460") or ("4674454") or ("4850319") or ("4928778") or ("5054569") or ("5377641") or ("5617819") or ("5673017") or ("5721550") or ("5757086") or ("5791407") or ("5818330") or ("5874785") or ("5942988") or ("5955940") or ("6028372") or ("6147418") or ("6347680") or ("6351703") or ("6396388") or ("6575053"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/01 17:47
S14	7	((("3063044") or ("3455403") or ("3859540") or ("4080537") or ("4200080") or ("4227588") or ("re30686"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/01 17:52

S15	2674	307/10.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 17:52
S16	0	"701"".""112".ccls. and "701"". ""115".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 17:53
S17	0	"701"".""112".ccls. or "701"".""115". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 17:53
S18	693	"701""/""112".ccls. or "701""/""115". ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 17:54
S19	1378	123/198DB.ccls. or 123/198DC.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 17:55
S20	0	("2002/0165660").URPN.	USPAT	OR	OFF	2005/11/02 09:06
S21	2	("4574752").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 09:07
S22	2259685	(vehicle automobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:19
S23	82070	S22 and ignition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:19

S24	22589	S23 and (throttle camshaft crankshaft (remote adj (start or starter)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:19
S25	247	S24 and (throttle same (control or controller or controlled) same (shutdown or (shut adj down) or powerdown or (power adj down)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:19
S26	47	S25 and (fuel or gas) same (disable or prohibit or disabled or restrict)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:19
S27	33	S26 and (throttle near4 position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:19
S28	15	S27 and (ignition same (switch or switched) same off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:19
S29	6	S28 and relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:21
S30	4	S29 and ((electronic or electrically or electrical) near2 throttle near2 (control or system) or ETC or (drive adj by adj wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:24
S31	2	S30 and plate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:24

S32	2660	throttle adj actuator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 10:36
-----	------	-----------------------	---	----	-----	------------------